



GOVERNMENT OF WEST BENGAL
DEPARTMENT OF PUBLIC HEALTH ENGINEERING
WATER & SANITATION SUPPORT ORGANISATION (WSSO)

N.S. Building, 7th Floor, 1, K. S. Roy Road, Kolkata 700001

Phone: 2262-5113, Fax 2262-5115, E-mail: dirwssso@wbphed.gov.in, wssso@wbphed.gov.in

Memo No: PHE/WSSO/112 (Pt. - XXII)/1745-1773.

Dated: 15/07/2019.

To,

The Executive Engineer,

Alipurduar Division, Bankura Division, Bardhaman Division, Asansol Mech. Division, Durgapur w/s Division, RCFA w/s Division, Bolpur Mech. Division, Birbhum Division, Coochbehar Division, Balurghat Division, Neorakhola w/s Mnt. Division, Siliguri w/s Division, Hooghly Division, Howrah Division, Jalpaiguri Division, Malda Division, Malda Arsenic Area w/s Division, Murshidabad Division, Behrampur Mechanical Division, Nadia Division, Barasat Division, North 24 Pgs w/s Division, Medinipur Division, Tamluk Division, Purulia Division, Purulia Mech. Division, Alipur Division, South 24 Pgs w/s Division, Raiganj Division.
PHE Dte., Govt. of West Bengal.

Sub: Submission of DPR regarding procurement of Chemicals & Consumables, Glassware etc. required for smooth running of the laboratories

It has been decided that DPR for requirement of Chemicals, Consumables & Glassware for water testing laboratories will be prepared and submitted by concerned division. He is hence requested to submit a DPR for procurement of chemicals, consumables & glassware, if any, for water testing laboratories under his jurisdiction, for next 12 months, based on no. of sources tested in 2018-19 which is reflected in Water Quality Dashboard and also stock of chemicals lying in hand at present.

In this regard this is further to state that On-Site Mobile Analysis Systems (OMAS) are used for testing routine water quality parameters of water sources in various Health Institutions, Aganwadi centres, Schools, ICDS centres etc. during special drives and also for testing samples from habitations where facilitators have not been engaged by Gram Panchayat. Therefore, procurement of consumables for OMAS may also be included in the DPR, if required.

The yearly expenditure for different laboratories regarding Annual Maintenance Contract of Computer, Printer, UPS & other related peripherals should also be included in the aforesaid DPR. In this context, he is requested kindly follow this office memo PHE/WSSO/112(Pt-XXII) 1406-1428 dated 10/06/2019.

The aforesaid DPR, in triplicate, should be sent to this office positively by 22/07/2019.

Chief Engineer & Director, WSSO
PHE Dept., Govt. of West Bengal

Memo No: PHE/WSSO/112 (Pt. - XXII)/1745-1773/(C-10) Dated: 15/07/2019.
Copy forwarded for information to:

1. The Superintending Engineer, South 24 Pgs w/s Circle/Eastern Circle/Murshidabad Circle/PIU, North 24 Parganas, WBDWSIP/North Bengal Circle I/North Bengal Circle II/Western Circle/ RCFA w/s Circle/ Central Circle/Mechanical Circle I, PHE Dte. Govt. of West Bengal

Chief Engineer & Director, WSSO
PHE Dept., Govt. of West Bengal